

### **AMENDMENTS TO THE CLAIMS**

This listing of claims replaces all prior versions of claims in the application.

1. (Currently amended): A resin sheet, characterized in that it comprises a cured resin layer containing in a resin a glass fiber cloth-like material and inorganic particles having a mean particle diameter of 100 nm or smaller, and is structured to have a haze value of 10% or lower.
2. (Original): A resin sheet according to claim 1, wherein a refractive index difference between a resin that forms the cured resin layer, and the glass fiber cloth-like material is 0.01 or less.
3. (Previously presented): A resin sheet according to claim 1, wherein the amount of the inorganic particles contained in the cured resin layer is 15 to 60 wt. %.
4. (Previously presented): A resin sheet according to claim 1, wherein the inorganic particles are silica particles.
5. (Previously presented): A resin sheet according to claim 1, wherein the resin that forms the cured resin layer is an epoxy resin.
6. (Previously presented): A resin sheet according to claim 1, whose coefficient of linear expansion is equal to or less than  $5.0 \times 10^{-5}/^{\circ}\text{C}$  at 25 to 160°C.

7. (Previously presented): A resin sheet according to claim 1, whose light transmittance is 88% or more.

8. (Previously presented): A resin sheet according claim 1, wherein a gas barrier layer is further laminated.

9. (Previously presented): A resin sheet according to claim 1, wherein a hard-coat layer is further laminated.

10. (Previously presented): A liquid crystal cell substrate, characterized in that it comprises the resin sheet of claim 1.

11. (Original): A liquid crystal display device, characterized in that it comprises the liquid crystal cell substrate of claim 10.

12. (Previously presented): A substrate for an electroluminescence display device, characterized in that it comprises the resin sheet of claim 1.

13. (Original): An electroluminescence display device, characterized in that it comprises the substrate for an electroluminescence display device of claim 12.

14. (Previously presented): A substrate for a solar cell, characterized in that it comprises the resin sheet of claim 1.

15. (New): A resin sheet according to claim 1, wherein the mean particle diameter of the inorganic particles is 70 nm or smaller.

16. (New): A resin sheet according to claim 1, wherein the inorganic particles are inorganic oxides.